



**General Certificate of Secondary Education  
June 2013**

**Additional Science / Chemistry                      CH2FP**

**(Specification 4408 / 4402)**

**Unit 2: Chemistry 2**

**Final**

***Mark Scheme***

---

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all examiners participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for standardisation each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, examiners encounter unusual answers which have not been raised they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from: [aqa.org.uk](http://aqa.org.uk)

Copyright © 2013 AQA and its licensors. All rights reserved.

**Copyright**

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

### 2. Boldening

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks boldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; e.g. allow smooth / free movement.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

### 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

### 3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Ignore / Insufficient / Do not allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

### **Quality of Written Communication and levels marking**

In Question 6(b) candidates are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Candidates will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

#### **Level 1: basic**

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

#### **Level 2: clear**

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

#### **Level 3: detailed**

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

**Question 1**

<b>question</b>	<b>answers</b>	<b>extra information</b>	<b>Mark</b>
<b>1(a)</b>	1 / one		1
<b>1(b)(i)</b>	protons		1
<b>1(b)(ii)</b>	neutrons		1
<b>1(b)(iii)</b>	7		1
<b>1(c)(i)</b>	losing		1
<b>1(c)(ii)</b>	a positive		1
<b>1(c)(iii)</b>	electrostatic		1
<b>1(d)</b>	high melting points strong bonds		1 1
<b>1(e)(i)</b>	58.5		1
<b>1(e)(ii)</b>	mole		1
<b>1(f)</b>	very small (particles) <b>or</b> 1-100nm in size <b>or</b> (particle with a) few hundred atoms	ignore tiny / small / smaller / microscopic etc.	1
<b>Total</b>			<b>12</b>

**Question 2**

<b>question</b>	<b>answers</b>	<b>extra information</b>	<b>Mark</b>
<b>2(a)</b>	11		1
<b>2(b)(i)</b>	nitric		1
<b>2(b)(ii)</b>	neutralisation		1
<b>2(c)</b>	fertiliser	accept helps plants grow accept provide nitrogen	1
<b>2(d)(i)</b>	nitrate iodide	must be in this order	1 1
<b>2(d)(ii)</b>	precipitate		1
<b>2(d)(iii)</b>	filtration/filtering		1
<b>2(d)(iv)</b>	crystallisation	allow evaporation / heat / cooling do <b>not</b> accept freezing ignore "leave it" if unqualified	1
<b>Total</b>			<b>9</b>

**Question 3**

question	answers	extra information	Mark
<b>3(a)</b>	(alloy) atoms / ions / particles not in layers	accept layers are distorted accept different (size) particles / atoms	1
	so, (alloy) layers / atoms / ions / particles can't slide	if no other mark awarded allow (an alloy) is a mixture of metals for <b>1</b> mark	1
<b>3(b)</b>	diamonds have a giant covalent structure		1
	diamonds have strong bonds between carbon atoms		1
<b>3(c)(i)</b>	a compound		1
<b>3(c)(ii)</b>	CH <sub>4</sub>		1
<b>3(c)(iii)</b>	covalent		1
<b>3(d)</b>	methane has a low boiling point or boiling point less than 20°C		1
	because it has small molecules	accept it has forces between molecules accept weak forces between molecules for <b>2</b> marks	1
<b>Total</b>			<b>9</b>



**Question 4**

<b>question</b>	<b>answers</b>	<b>extra information</b>	<b>Mark</b>
<b>4(a)(i)</b>	was well qualified		1
<b>4(a)(ii)</b>	check the results of the experiment		1
<b>4(b)(i)</b>	cannot move		1
<b>4(b)(ii)</b>	melt it / make it a liquid	allow heat it allow dissolve (in water) / make a solution	1
<b>4(b)(iii)</b>	they are positive	allow opposites attract <b>or</b> opposite charges	1
<b>4(b)(iv)</b>	atoms		1
<b>Total</b>			<b>6</b>

**Question 5**

<b>question</b>	<b>answers</b>	<b>extra information</b>	<b>Mark</b>
<b>5(a)</b>	giant lattices		1
<b>5(b)(i)</b>	heat / warm / increase the temperature	allow reduce pressure do not accept melt	1
<b>5(b)(ii)</b>	(polymer) chains cannot slide because they have cross-links	if no other mark awarded allow polymers do not melt for 1 mark	1 1
<b>5(c)(i)</b>	separates (substances)		1
<b>5(c)(ii)</b>	any <b>two</b> from: <ul style="list-style-type: none"> <li>• quick / rapid</li> <li>• accurate</li> <li>• can detect small quantities / sensitive</li> </ul>	ignore reliable / precise / efficient ignore references to cost	2
<b>Total</b>			<b>7</b>

**Question 6**

question	answers	extra information	Mark
<b>6(a)</b>	any <b>two</b> from: <ul style="list-style-type: none"> <li>• effervescence / bubbles / fizzing</li> <li>• magnesium disappears / dissolves</li> <li>• heat given off / exothermic</li> <li>• change in pH</li> </ul>	allow gas / hydrogen is given off allow volume of gas allow magnesium floats  allow change in mass of magnesium  allow temperature change do <b>not</b> accept temperature decreases  do <b>not</b> accept pH decreases	2
<b>6(b)</b>	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5.		6
<b>0 marks</b>	<b>Level 1 (1-2 marks)</b>	<b>Level 2 (3-4 marks)</b>	<b>Level 3 (5-6 marks)</b>
No relevant content.	A simple plan without reference to changing any variable but should include an attempt at measuring rate <b>or</b> an attempt at fair testing	A plan including change of concentration / 'volume' of acid <b>and</b> should include an attempt at measuring rate <b>and</b> / <b>or</b> an attempt at fair testing	A workable plan including change of concentration <b>and</b> measurement of rate <b>and</b> fair testing
<b>examples of chemistry points made in the response could include:</b> <b>Plan:</b> <ul style="list-style-type: none"> <li>• add magnesium to acid</li> <li>• time reaction / 'count bubbles' / measure volume of gas</li> <li>• change concentration / 'volume' of acid</li> </ul> <b>Control Variables:</b> <ul style="list-style-type: none"> <li>• amount / mass / length / same 'size' of magnesium</li> <li>• volume / amount of acid</li> </ul>			
<b>Total</b>			<b>8</b>

**Question 7**

question	Answers	extra information	Mark
<b>7(a)(i)</b>	the more sodium hydrogencarbonate the greater the temperature change	accept examples from the table	1
	up to 8 spatula measures	accept any correct indication of when change occurs	1
	then the temperature change is constant	if no marks awarded allow <b>1</b> mark for: the more sodium hydrogencarbonate the lower the final temperature	1
<b>7(a)(ii)</b>	energy is taken in from the surroundings <b>or</b> endothermic		1
<b>7(b)(i)</b>	gas / carbon dioxide / steam / water is produced	accept carbon dioxide is a gas <b>or</b> steam / water is a gas allow gas / air expands when heated	1
<b>7(b)(ii)</b>	no, because (reaction) is exothermic <b>or</b> yes, to start the reaction	allow no, because (reactants) were formed by heating ignore references to cooling	1
<b>7(c)(i)</b>	84	correct answer with or without working gains <b>2</b> marks if no answer or incorrect answer then evidence of $23 + 1 + 12 + (3 \times 16)$ gains <b>1</b> mark	2
<b>7(c)(ii)</b>	14.29	accept rounding to 14.3 or 14 allow ecf from (c)(i)	1
<b>Total</b>			<b>9</b>

 UMS Conversion Calculator: [www.aqa.org.uk/umsconversion](http://www.aqa.org.uk/umsconversion)